```
commit ca8ffc974d43033be6e1d4277a45822d2c3656f4
Author: Michael Neuling <mikey@neuling.org>
Date:   Thu Jul 19 07:56:32 2007 +1000

[POWERPC] Fix future firmware feature fixups function failure

Move firmware feature initialisation from pSeries_init_early to the
earlier pSeries_probe_hypertas so they are initialised before firmware
feature fixups are applied.

Currently firmware feature sections are only used for iSeries which
initialises the these features much earlier.  This is a bug in waiting
on pSeries.

Also adds some whitespace fixups.

Signed-off-by: Michael Neuling <mikey@neuling.org>
Acked-by: Arnd Bergmann <arnd@arndb.de>
Signed-off-by: Paul Mackerras <paulus@samba.org>
```

```
commit 74254647e06452faff3675f9cd347ef2a5d63d90
Author: Jeremy Kerr <jk@ozlabs.org>
Date:   Tue Feb 17 11:44:14 2009 +1100
```

powerpc/spufs: Constify context contents and coredump callback constants

The spufs context directory contents definitions are not changed after initialisation, so we can declare them as const. We can do the same with the spu coredump reader callbacks too.

```
Signed-off-by: Jeremy Kerr <jk@ozlabs.org>
Signed-off-by: Benjamin Herrenschmidt <benh@kernel.crashing.org>
```

Patchwork: pursuing productive project participation

Jeremy Kerr
<jk@ozlabs.org>

Contribution



Maintainers

- Review
- Apply
- Release

Review


maintainer
contributor
contributor
contributor


maintainer
contributors


maintainer
Is my patch in yet?
contributors

Patch review



Demo: patchwork basics

Patchwork basics

- Patches parsed from mailing list
- Maintainer updates state
  - Depending on patch review
- Patch flow is tracked

No more dropped patches

Contributors can see review status

but...

Weren't we trying to make life *easier* for the maintainer?

Demo: bundles

Bundles

- Collect patches in a set
- Update all at once
- Public bundles
  - Share the review!

Demo: delegates

Delegates

- Maintainers can delegate review
  - Usually to sub-maintainers
- Delegated patches appear in todo list

Demo: pwclient

pwclient

- Allows command-line interaction
  - Queries
  - Updates
- Makes patchwork scriptable

Patch hashes

- `pwparser --hash < some.patch`
  - Generates a hash of *some.patch*
- `pwclient update -h <hash> …`
  - Updates patchwork patch with hash <*hash*>

Demo: patch hashes

Other tricks

```
git rev-list rev1..rev2 |
while read commit
do
    h=$(git show $commit | pwparser --hash)
    pwclient update -h $h -s Accepted \
        -c $commit
done
```

X-Patchwork-Hint: ignore

Patchwork development

Patch update notifications

Easier commenting

Patch relations

Patch targeting

Patch tagging & triggers

ozlabs.org/~jk/projects/patchwork/

patchwork@lists.ozlabs.org

Thank you.